HAZARDOUS MATERIALS PLACARDING CHART

H 33

CORROSIVE
Placard 1,000 lbs. or more gross weight of corrosive material. Placard not required for a material that is corrosive only to steel when transported in a portable tank, cargo tank, or tank car by rail or highway.

COMBUSTIBLE
Placard a combustible liquid when transported in a packaging exceeding 110 gallon rated capacity, in a cargo tank or a tank car. A FLAMMABLE placard may be substituted for the COMBUSTIBLE placard on a cargo tank and portable tank in highway transportation.

FLAMMABLE
Placard 1,000 lbs. or more flammable liquid.

FLAMMABLE SOLID
Placard 1,000 lbs. or more gross weight of flammable solid. A FLAMMABLE placard may be substituted for a FLAMMABLE SOLID placard, except when a DANGEROUS WHEN WET label is specified.



FLAMMABLE SOLID W
Placard any quantity of Flammable Solid only when DANGEROUS WHEN WET label is required.

DANGEROUS
Placard 1,000 lbs. or more gross weight of irritating material.

A freight container, motor vehicle, or rail car containing two or more of the materials listed below may be placarded DANGEROUS instead of separate placarding for each material if no more than 5,000 lbs. aggregate gross weight of one class of material is loaded at one loading facility (not applicable to portable tanks, cargo tanks, or tank cars).

Class C Explosives	Flammable Liquid
Blasting Agents	Flammable Solid
Nonflammable Gas	Oxidizer
Chlorine	Organic Peroxide
Pressurized Liquid Oxygen	Poison B
	Corrosive Material
Flammable Gas	Irritating Material
Combustible Liquid	



POISON GAS
Placard any quantity of Poison A.

POISON
Placard 1,000 lbs. or more gross weight of Poison B.

EMPTY
Placard empty tank cars for material last contained.

CHLORINE
Placard 1,000 lbs. or more aggregate gross weight of chlorine.

DISPLAY OF IDENTIFICATION NUMBER WHEN TRANSPORTING HAZARDOUS MATERIALS IN PORTABLE TANKS, CARGO TANKS AND TANK CARS.

APR 8 1986
U. S. GOVT. PUB
DEPOSITORY

ORANGE PANEL

Must display U.N. hazard class number approximately 1¼" in height.

PLACARD

I53.2:

The BLM On Scene Coordinator (OSC) or BLM official representing an OSC should only call Chemtec (800-424-9300) for assistance during an emergency response.

HAZARDOUS MATERIALS PLACARDING CHART

FIELD PROCEDURES FOR REPORTING
HAZARDOUS WASTE SITES

★★SAFETY FIRST★★★★★SAFETY FIRST★★

IF . . . . site contains obvious indicators that potentially hazardous materials may be present (drums, pools of unknown liquids, odors, piles of unknown solids or powdered material not associated with authorized activities, etc.) or you see evidence of dead plants or animals...

THEN . . take prudent actions. DO NOT APPROACH. move a safe distance away. Stay upwind. DO NOT handle materials, breathe fumes, or have any contact with material. Identify materials with binoculars ONLY. DO NOT attempt to collect samples.

1. Determine whether there is an immediate need for action *(post guard, fence, etc.)*
2. Call BLM State Coordinator _____ for hazardous materials at (_____) _____ - _____ and report details of the site.
3. Call BLM Area Manager _____ at (_____) _____ - _____.

Emergency Phone Numbers

_____ _____
_____ _____
_____ _____

This is to be used as an aid and guide in identifying suspected Hazardous Materials at accident sites and newly discovered sites. **Remember** . . . Hazardous Materials may be mislabeled or have no labels at all. USE EXTREME CAUTION!!!

EXPLOSIVE A
Placard any quantity of Explosives A or combination of Explosives A and B.

EXPLOSIVE B
Placard any quantity of Explosives B. Use EXPLOSIVES A placard if mixed with Explosives A materials.

BLASTING AGENTS
Placard 1,000 lbs. or more gross weight of Blasting Agents.

FLAMMABLE GAS
Placard 1,000 lbs. or more of flammable gas.

NON-FLAMMABLE GAS
Placard 1,000 lbs. or more aggregate gross weight of non-flammable gas.

RADIOACTIVE
Placard any quantity of packages bearing the RADIOACTIVE YELLOW III label. Certain low specific activity radioactive materials in "exclusive use" will not bear the label, but RADIOACTIVE placard is required.

OXIDIZER
Placard 1,000 lbs. or more gross weight of oxidizing material.

OXYGEN
Placard 1,000 lbs. or more aggregate gross weight of liquified pressurized oxygen contained in a manner as not meeting definition in Sec. 173.300.

ORGANIC PEROXIDE
Placard 1,000 lbs. or more gross weight of organic peroxide.